now the evidence is being scrutinised and examined. It is not possible to indicate any time frame within which the report can be submitted.

Doordarshan Staff in Commercial Service

4017. SHRI KRISHAN LAL SHARMA : Will the Minister of INFORMATION AND BROADCASTING be pleased to state :

(a) whether the commercial service of Doordarshan is included in the category of house keeping and the staff is liable for transfer in every two years as per the policy of the Government;

(b) if so, the details thereof;

(c) the number of cases of violation of the policy noticed by the Government;

(d) the details of staff who have completed 5, 8 and 10 years of service in the commercial units; and

(e) the reasons for such violations?

THE MINISTER OF CIVIL AVIATION AND MINISTER OF INFORMATION AND BROADCASTING (SHRI C.M. IBRAHIM) : (a) No, Sir.

(b) and (c) Do not arise.

(d) The details are given in the enclosed statement.

(e) Does not arise.

Statement

Group	Staff in Position	Less than 5 yrs.	More than 5 but less than 8 yrs.	More than 8 but less than 10 yrs.	More than 10 yrs.
A	3	3	-	-	-
B	5	3	2	-	-
C	19	9	3	5	2

Earnings of Hooghly Ghat and Garifa Railway Stations

4018. SHRI TARIT BARAN TOPDAR : Will the Minister of RAILWAYS be pleased to state :

(a) the earnings of Hooghly Ghat and Garifa Railway Stations during the last three years, year-wise and station-wise;

(b) whether the facilities provided at Hooghly Ghat Railway Station are also likely to be provided at Garifa Station;

(c) if so, the steps taken by the Government to provide better passenger amenities at Garifa; and

(d) if not, the reasons for the delay?

THE MINISTER OF STATE IN THE MINISTRY OF RAILWAYS (SHRI SATPAL MAHARAJ) : (a) The earnings of Hooghly Ghat and Garifa Station for last three years are as under :

(Rs. in Lakhs)

	Hooghly Ghat	Garifa
1994-95	55.15	64.65
1995-96	59.14	68.84
1996-97	63.14	73.37

(b) to (d) Passenger amenities provided both at Hooghly Ghat and Garifa station is as under :

	Hooghly Ghat Station	Garifa Station
Platform	High level with pucca surface	High level with pucca surface
Bench	50 benches are provided	45 benches are provided
Urinals	3 urinals are provided	4 urinals are provided
PF Sheds	Up PF sheds 46.84m^2 and on DN PF 46.84m^2 shed provided	PF sheds-40m^2 shed on DN PF provided. Work for providing shed on UP PF is going on. Target date of complition of shed on UP PF is 31.3.97.
Waiting Hall	81m^2 hall provided	94m^2 hall provided
Booking Counter	One counter provided	One counter provided
PA System	Provided	Provided
FOB	Not provided	Sanctioned and included in Pink Book 1996-97 item No. 48 cost approved Rs. 7.42 lakhs.
Approach Road	Metalled approach road provided	Metalled approach road provided
Electrification	Station is electrified	Station is electrified

From the above, it is clear that the amenities as available at Hooghly Ghat station are available at Garifa station also. In case of PF shed the deficiency at Garifa station has already been under taken to be made good.